

Editorial Contact:
The Simon Group, Inc.
Joanna Puglisi-Barley or Beth Smith
Phone: (215) 453-8700
E-mail: publicrelations@simongroup.com
Reference # APL-A-5006



Amphenol's Heliolug First UL 2703 Certified Grounding Component for Solar Installations

Easily installed lug also includes UL 2703 approved hardware

Sidney, N.Y. December 2011 – Amphenol Industrial, a global leader in interconnect systems, introduces the Heliolug, the first grounding lug that meets the solar industry's specific UL 2703 certification. The new lug is used by solar integrators, installers and EPC firms for grounding solar modules in residential, commercial and utility solar projects.

The affordable Heliolug is easy to install and simplifies grounding requirements. The included stainless steel mounting hardware, also UL 2703 certified, allows the lug to be used to ground the rack as well as the PV module. Each row of PV modules in an installation must have a ground wire attached to the rack. Other lugs require additional holes to be drilled or prevent the grounding of racks completely. The new Heliolug eliminates all these installation obstacles completely, lowering installation and maintenance costs.

Made from durable tin-plated copper that prevents galvanic corrosion and protects the copper from oxidizing, the Heliolug provides low contact resistance and high conductivity to make it the most reliable way to ground solar panels. Its open-face design allows simple, quick lay-in without breaking or cutting the conductor. An included star washer penetrates aluminum anodization of the module frame and racks, which is necessary for establishing grounding contact. The Heliolug can accommodate 4 -12 AWG bare copper wire.

APL-A-5006
Continued...

-more-

According to both UL and NEC requirements all solar modules must be grounded. UL 2703 is a new solar grounding specification that covers rack mounting systems and clamp devices intended for use with photovoltaic module systems with a maximum system voltage of 1000 V. These requirements also cover ground/bonding paths, mechanical strength and suitability of materials.

Pricing for the HelioLug starts at \$1.65 per unit. Delivery is 4 weeks ARO.

For more information, please visit <http://www.amphenol-industrial.com> or e-mail energy@amphenol-aio.com.

For high res download and full text:
<http://www.simongroup.com/PressRoom/press-release.php?Job=APL-A-5006>

For more news releases: <http://www.simongroup.com/PressRoom/amphenol.php>



Subscribe to Amphenol Industrial Operations' RSS feed.



Follow us on Twitter: Amphenol



Find us on Facebook
Become a fan of Amphenol Industrial Operations

-30-

READER SERVICE INQUIRIES: Please forward all reader service inquiries to Geoff Grace at Amphenol Industrial Operations, Amphenol Corporation, 40-60 Delaware Ave, Sidney, N.Y., 13838-1395; e-mail: ggrace@amphenol-aio.com; Web: www.amphenol-industrial.com.

EDITOR'S NOTE: Amphenol Industrial Operations, headquartered in a 675,000 square foot facility in Sidney, N.Y., provides a full range of high reliability connectors and interconnection systems specifically for the industrial markets including base stations, rail/mass transit, process control, automotive manufacturing, heavy equipment, and petrochemical/power generation.

APL-A-5006

Continued...

Products include ruggedized-for-industry cylindrical, fiber optic, rectangular, and industrialized versions of Amphenol's MIL-C-5015 cylindrical, MIL-C-26482 miniature

cylindrical and GT reverse bayonet cylindrical connectors. It employs more than 1,400 people and is both ISO9001 and MIL-STD-790 certified.

Amphenol Industrial Operations is a division of Amphenol Corporation, Wallingford, CT, one of the largest manufacturers of interconnect products in the world, with year 2010 sales topping \$3.6 billion.